

WWW.CITIZENLABS.NET

AGGREGATE & ROCK

Civil Engineering Testing Equipment



VOID CONTENT APPARATUS (FINE AGGREGATE)

Standard: ASTM C1252, AASHTO T304

Indication of Angularity

Used to determine the uncompacted void content of a fine aggregate sample. the method indicates the angularity, sphericity and workability of fine agregate in a mixture for wich it may be used.

Technical Specifications:

Model Number	CL 1034 X / 001
Dimension (mm)	Ø165 x 370 mm (H)
Approx. Weight	2.6 kg

Set Consists Of:

Model Number	Parts Description	Qty
CL 1034 X / 001 – P 001	Funnel Stand	1no.
CL 1034 X / 001 – P 002	Cylindrical Measure	1no.
CL 1034 X / 001 – P 003	Funnel with Specified Hopper	1no.
CL 1034 X / 001 – P 004	Glass Plate for Calibration	1no.
CL 1034 X / 001 - P 005	300 mm Dia. Pan	1no.
CL 7011 SS / 001	Flexible Spatula	1no.

^{*1} Copy of Manual Instruction

Copyright 2016 CL Citizenlabs Co. Bhd. All Rights Reserved. Revision 3(All information in this catalogue only for customer's reference and not for quotation. Design and dimension maybe change without prior notice.)